

Measured Data

QC Limits

Line	Parameter	Value	Units
1	RMSE-free	0.35	Ohms
2	Fs	91.09	Hz
3	Re	5.07	Ohms[dc]
4	Res	41.91	Ohms
5	Qms	5.37	
6	Qes	0.65	
7	Qts	0.58	
8	L1	0.06	mH
9	L2	0.29	mH
10	R2	2.72	Ohms
11	RMSE-load	0.81	Ohms
12	Vas(Sd)	10.39	liters
13	Mms	7.27	grams
14	Cms	420	$\mu\text{M}/\text{Newton}$
15	Bl	5.70	Tesla-M
16	SPLref(Sd)	92.7	dB[Re]
17	Rub-index	0.01	

Method: Mass-loaded (10.00 grams)

Area (Sd): 132.73 sq cm


DCR mode: Measure (-0.10 ohms)

QC file: CLOSED

Analysis successful. Shift in Fs = -33.7% (-20% to -50% is recommended).


6XT13

MLSSA: Parameters



CURSOR: dy = -0.063416 x = 3980.2320 (1076)

MLSSA: Frequency Domain




---

Level (100:22006 Hz) = 96.75 dB SPL/watt (8 ohms, @1.00 meters)

---

6XT13