

Measured Data

QC Limits

Line	Parameter	Value	Units
1	RMSE-free	0.52	Ohms
2	Fs	109.45	Hz
3	Re	6.35	Ohms[dc]
4	Res	69.23	Ohms
5	Qms	6.04	
6	Qes	0.55	
7	Qts	0.51	
8	L1	0.38	mH
9	L2	0.79	mH
10	R2	4.41	Ohms
11	RMSE-load	0.84	Ohms
12	Vas(Sd)	9.14	liters
13	Mms	14.86	grams
14	Cms	142	$\mu\text{M}/\text{Newton}$
15	Bl	10.82	Tesla-M
16	SPLref(Sd)	95.2	dB[Re]
17	Rub-index	0.01	

Method: Mass-loaded (20.00 grams)

Area (Sd): 213.82 sq cm


DCR mode: Measure (-0.07 ohms)

QC file: CLOSED

Analysis successful. Shift in Fs = -33.3% (-20% to -50% is recommended).


FANE CLA 8-75

MLSSA: Parameters



CURSOR: dy = -0.272217 x = 1000.9766 (1025)

MLSSA: Frequency Domain



Level (100:3984 Hz) = 97.05 dB SPL/watt (8 ohms, @1.00 meters)

FANE CLA 8-75