

Measured Data

QC Limits

Line	Parameter	Value	Units
1	RMSE-free	0.36	Ohms
2	Fs	80.42	Hz
3	Re	6.58	Ohms[dc]
4	Res	147.05	Ohms
5	Qms	18.68	
6	Qes	0.84	
7	Qts	0.80	
8	L1	0.49	mH
9	L2	0.77	mH
10	R2	2.90	Ohms
11	RMSE-load	0.26	Ohms
12	Vas(Sd)	14.87	liters
13	Mms	13.18	grams
14	Cms	297	$\mu\text{M}/\text{Newton}$
15	B1	7.24	Tesla-M
16	SPLref(Sd)	91.5	dB[Re]
17	Rub-index	0.00	

Method: Mass-loaded (40.00 grams)

Area (Sd): 188.69 sq cm


DCR mode: Measure (-0.27 ohms)

QC file: CLOSED

Analysis successful. Shift in Fs = -47.9% (-20% to -50% is recommended).


SELENIUM 8PW2

MLSSA: Parameters



CURSOR: dy = -0.289693 x = 1000.9766 (1025)

MLSSA: Frequency Domain



Level (100:9011 Hz) = 92.80 dB SPL/watt (8 ohms, @1.00 meters)

8PW2