

Auto formfeed disabled

VOLT Ps CX 8/151 4ohm

MLSSA: Frequency Domain

MLSSA SPO 4.0D #960903-3057-3075  
Measured Data

QC Limits

Line	Parameter	Value	Units
1	RMSE-free	0.26	Ohms
2	Fs	56.28	Hz
3	Re	3.34	Ohms[dc]
4	Res	15.74	Ohms
5	Qms	1.36	
6	Qes	0.29	
7	Qts	0.24	
8	L1	0.26	mH
9	L2	0.62	mH
10	R2	3.43	Ohms
11	RMSE-load	0.20	Ohms
12	Vas(Sd)	30.26	liters
13	Mms	19.12	grams
14	Cms	418	$\mu\text{M}/\text{Newton}$
15	B1	8.84	Tesla-M
16	SPLref(Sd)	94.5	dB[Re]
17	Rub-index	0.01	

Method: Mass-loaded (29.00 grams)

Area (Sd): 226.98 sq cm


DCR mode: Measure (-0.26 ohms)

QC file: CLOSED

Analysis successful. Shift in Fs = -34.0% (-20% to -50% is recommended).

VOLT Ps CX 8/151 ohm

MLSSA: Parameters




---

Level (100:22006 Hz) = 92.77 dB SPL/watt (8 ohms, @1.00 meters)

---

VOLT PS8-151CX