

**Sestava B&C Speakers 15NW76 + BMS 4555 + B&C Speakers ME90**  
**(pootočená o 90°)**

***Osazení:***

- B&C Speakers 15NW76 8/Ohm

<http://eshop.prodance.cz/DetailPage.asp?DPG=82866>


- BMS 4555 8/Ohm


<http://eshop.prodance.cz/DetailPage.asp?DPG=87228>

- B&C Speakers ME90

<http://eshop.prodance.cz/DetailPage.asp?DPG=80246>

***Schéma výhybky:***






CURSOR: dy = -1.72854e-005 x = 14.3220 (1302)


15NW76 + BMS4555 + ME90/90 DEG.

MLSSA: Time Domain



CURSOR: dy = -26.9866 x = 30007.1014 (2704)


15NW76 + BMS4555 + ME90/90 DEG.




Level (89:24003 Hz) = 100.14 dB SPL/watt (8 ohms, @1.65 meters) (0.33 oct)

15NW76 + BMS4555 + ME90/90 DEG.

MLSSA: Frequency Domain




-74.36 dB, 710 Hz (16), 4.400 msec (41)



mean: -0.0008018, rms: 0.001665, std: 0.00146, max: 0.008144, min: -0.002733


15NW76 + BMS4555 + ME90/90 DEG.

MLSSA: Time Domain



Overlay Compare: dev= +29/-11, std= 9.5, avg= -32

15NW76 + BMS4555 + ME90/90 DEG.





---

mean: 100.64, rms: 101.15, std: 2.63, max: 104.71, min: 89.09

---

15NW76 + BMS4555 + ME90/90 DEG.

MLSSA: Frequency Domain





---

mean: 41.99, rms: 53.97, std: 33.9, max: 119.9, min: -12.45

---

15NW76 + BMS4555 + ME90/90 DEG.





---

mean: 100.37, rms: 100.53, std: 1.57, max: 102.76, min: 90.25

---

15NW76 + BMS4555 + ME90/90 DEG.

MLSSA: Frequency Domain




---

mean: 11.31, rms: 13.2, std: 6.812, max: 60.15, min: 6.094

---

15NW76 + BMS4555 + ME90/90 DEG.