


Level (200:19997 Hz) = 76.63 dB SPL/watt (4 ohms, @1.00 meters)

1.5" fullrange AMBOSS EXCLUSIVE

MLSSA: Frequency Domain



-83.44 dB, 1065 Hz (24), 1.980 msec (19)

Measured Data

QC Limits

Line	Parameter	Value	Units
1	RMSE-free	0.08	Ohms
2	Fs	307.31	Hz
3	Re	3.60	Ohms[dc]
4	Res	5.51	Ohms
5	Qms	9.52	
6	Qes	6.23	
7	Qts	3.77	
8	L1	0.04	mH
9	L2	0.04	mH
10	R2	2.03	Ohms
11	RMSE-load	0.06	Ohms
12	Vas(Sd)	0.07	liters
13	Mms	0.53	grams
14	Cms	510	$\mu\text{M}/\text{Newton}$
15	Bl	0.77	Tesla-M
16	SPLref(Sd)	76.7	dB[Re]
17	Rub-index	0.00	

Method: Mass-loaded (1.00 grams)

Area (Sd): 9.62 sq cm


DCR mode: Measure (-0.18 ohms)

QC file: CLOSED

Analysis successful. Shift in Fs = -36.0% (-20% to -50% is recommended).

1.5" FULLRANGE AMBOSS EXCLUSIVE

MLSSA: Parameters



mean: 4.879, rms: 4.934, std: 0.7343, max: 9.233, min: 3.703

MLSSA: Frequency Domain