



---

Level (244:8501 Hz) = 100.36 dB SPL/watt (12 ohms, @1.00 meters)

---

8" RCF FROM MACKIE FUSSION

MLSSA: Frequency Domain



-69.08 dB, 3684 Hz (83), 2.530 msec (24)

## Measured Data

QC Limits

Line	Parameter	Value	Units
1	RMSE-free	0.98	Ohms
2	Fs	94.74	Hz
3	Re	7.13	Ohms[dc]
4	Res	13.81	Ohms
5	Qms	0.82	
6	Qes	0.42	
7	Qts	0.28	
8	L1	-0.06	mH
9	L2	0.54	mH
10	R2	2.06	Ohms
11	RMSE-load	0.51	Ohms
12	Vas(Sd)	14.88	liters
13	Mms	10.77	grams
14	Cms	262	$\mu\text{M}/\text{Newton}$
15	B1	10.38	Tesla-M
16	SPLref(Sd)	96.6	dB[Re]
17	Rub-index	0.14	

Method: Mass-loaded (20.00 grams)

Area (Sd): 201.06 sq cm


DCR mode: Measure (-0.07 ohms)

QC file: CLOSED

Analysis successful. Shift in Fs = -37.6% (-20% to -50% is recommended).

8" RCF FROM MACKIE FUSSION

MLSSA: Parameters




---

mean: 10.04, rms: 10.62, std: 3.472, max: 21.07, min: 7.224

---

MLSSA: Frequency Domain