


Level (100:9211 Hz) = 93.17 dB SPL/watt (8 ohms, @1.00 meters)

8PW3

MLSSA: Frequency Domain



-73.33 dB, 3196 Hz (72), 2.750 msec (26)

Measured Data

QC Limits

Line	Parameter	Value	Units
1	RMSE-free	0.47	Ohms
2	Fs	73.22	Hz
3	Re	5.69	Ohms[dc]
4	Res	84.95	Ohms
5	Qms	13.51	
6	Qes	0.91	
7	Qts	0.85	
8	L1	0.28	mH
9	L2	0.42	mH
10	R2	2.40	Ohms
11	RMSE-load	0.28	Ohms
12	Vas(Sd)	23.73	liters
13	Mms	11.30	grams
14	Cms	418	$\mu\text{M}/\text{Newton}$
15	Bl	5.72	Tesla-M
16	SPLref(Sd)	92.0	dB[Re]
17	Rub-index	0.01	

Method: Mass-loaded (15.00 grams)

Area (Sd): 201.06 sq cm


DCR mode: Measure (-0.07 ohms)

QC file: CLOSED

Analysis successful. Shift in Fs = -31.4% (-20% to -50% is recommended).

8PW3

MLSSA: Parameters



mean: 8.027, rms: 10.61, std: 6.942, max: 90.01, min: 5.731

DTTO

MLSSA: Frequency Domain