

Measured Data

QC Limits

Line	Parameter	Value	Units
1	RMSE-free	0.43	Ohms
2	Fs	56.49	Hz
3	Re	6.04	Ohms[dc]
4	Res	112.46	Ohms
5	Qms	6.72	
6	Qes	0.36	
7	Qts	0.34	
8	L1	0.30	mH
9	L2	1.21	mH
10	R2	7.26	Ohms
11	RMSE-load	0.86	Ohms
12	Vas(Sd)	22.66	liters
13	Mms	23.81	grams
14	Cms	333	$\mu\text{M}/\text{Newton}$
15	Bl	11.89	Tesla-M
16	SPLref(Sd)	92.4	dB[Re]
17	Rub-index	0.00	

Method: Mass-loaded (20.00 grams)

Area (Sd): 220.00 sq cm


DCR mode: Measure (-0.06 ohms)

QC file: CLOSED

Analysis successful. Shift in Fs = -23.5% (-20% to -50% is recommended).

PDN.8BM30


MLSSA: Parameters



mean: 11.12, rms: 15.76, std: 11.18, max: 119.1, min: 6.114

DT10


MLSSA: Frequency Domain



Level (100:4506 Hz) = 92.69 dB SPL/watt (8 ohms, @1.00 meters)

PDM.8BM30

MLSSA: Frequency Domain



-73.20 dB, 2219 Hz (50), 1.870 msec (18)