

Measured Data

QC Limits

Line	Parameter	Value	Units
1	RMSE-free	0.67	Ohms
2	Fs	63.22	Hz
3	Re	5.44	Ohms[dc]
4	Res	87.29	Ohms
5	Qms	4.79	
6	Qes	0.30	
7	Qts	0.28	
8	L1	0.51	mH
9	L2	1.15	mH
10	R2	3.62	Ohms
11	RMSE-load	0.70	Ohms
12	Vas(Sd)	23.35	liters
13	Mms	17.43	grams
14	Cms	364	$\mu\text{M}/\text{Newton}$
15	Bl	11.23	Tesla-M
16	SPLref(Sd)	94.8	dB[Re]
17	Rub-index	0.02	

Method: Mass-loaded (20.00 grams)

Area (Sd): 213.82 sq cm


DCR mode: Measure (-0.06 ohms)

QC file: CLOSED

Analysis successful. Shift in Fs = -29.1% (-20% to -50% is recommended).

PDN.8BM31


MLSSA: Parameters



mean: 10.49, rms: 14.86, std: 10.52, max: 91.27, min: 5.534

DT10

MLSSA: Frequency Domain




Level (100:5005 Hz) = 94.86 dB SPL/watt (8 ohms, @1.00 meters)

PDM.8BM31

6-1-85 7:18 PM

MLSSA: Frequency Domain



-67.78 dB, 3018 Hz (68), 2.530 msec (24)