

Measured Data

QC Limits

Line	Parameter	Value	Units
1	RMSE-free	0.60	Ohms
2	Fs	158.79	Hz
3	Re	5.42	Ohms[dc]
4	Res	57.15	Ohms
5	Qms	4.94	
6	Qes	0.47	
7	Qts	0.43	
8	L1	0.28	mH
9	L2	0.56	mH
10	R2	2.16	Ohms
11	RMSE-load	0.26	Ohms
12	Vas(Sd)	3.65	liters
13	Mms	7.92	grams
14	Cms	127	μ M/Newton
15	B1	9.56	Tesla-M
16	SPLref(Sd)	96.8	dB[Re]
17	Rub-index	0.01	

Method: Mass-loaded (20.00 grams)

Area (Sd): 143.14 sq cm


DCR mode: Measure (-0.06 ohms)

QC file: CLOSED

Analysis successful. Shift in Fs = -45.2% (-20% to -50% is recommended).


6MD38

MLSSA: Parameters



mean: 10.81, rms: 14.79, std: 10.09, max: 62.83, min: 5.444


MLSSA: Frequency Domain



Level (200:8501 Hz) = 96.58 dB SPL/watt (8 ohms, @1.00 meters)

6MD38

MLSSA: Frequency Domain



-70.00 dB, 5149 Hz (116), 2.970 msec (28)