


Level (100:9499 Hz) = 91.18 dB SPL/watt (8 ohms, @1.00 meters)

8PW7

MLSSA: Frequency Domain



-73.59 dB, 755 Hz (17), 3.190 msec (30)

DTTO

Measured Data

QC Limits

Line	Parameter	Value	Units
1	RMSE-free	0.31	Ohms
2	Fs	85.96	Hz
3	Re	6.46	Ohms[dc]
4	Res	96.08	Ohms
5	Qms	14.91	
6	Qes	1.00	
7	Qts	0.94	
8	L1	0.48	mH
9	L2	0.75	mH
10	R2	2.99	Ohms
11	RMSE-load	0.32	Ohms
12	Vas(Sd)	14.34	liters
13	Mms	13.57	grams
14	Cms	253	$\mu\text{M}/\text{Newton}$
15	B1	6.87	Tesla-M
16	SPLref(Sd)	91.4	dB[Re]
17	Rub-index	0.00	

Method: Mass-loaded (30.00 grams)

Area (Sd): 201.06 sq cm


DCR mode: Measure (-0.12 ohms)

QC file: CLOSED

Analysis successful. Shift in Fs = -41.6% (-20% to -50% is recommended).

8PW7

MLSSA: Parameters



mean: 9.64, rms: 12.52, std: 7.992, max: 103.1, min: 6.558

MLSSA: Frequency Domain